MONTHLY

BIBLIOGRAPHY ON EXOTIC ANIMAL DISEASES

COMPILED BY: B. BALASSA, LIBRARIAN

NOVEMBER 1967

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL RESEARCH SERVICE
ANIMAL DISEASE AND PARASITE RESEARCH DIVISION
PLUM ISLAND ANIMAL DISEASE LABORATORY
POST OFFICE BOX 848
GREENPORT, LONG ISLAND, NEW YORK 11944

EXPLANATORY NOTE

1. ENTRIES ARE ARRANGED IN ALPHABETICAL ORDER BY DISEASE.
2. DISEASES ARE INDICATED AT THE BEGINNING OF EACH GROUP.
3. UNDER DISEASE, ENTRIES ARE ARRANGED IN ALPHABETICAL ORDER BY AUTHOR'S NAME.
4. ON THE RIGHT MARGIN, "PIL", "NUMBER", AND "LIBRARY CLASSIFICATION CALL NUMBER" INDICATE ARTICLE APPEARS IN A PERIODICAL (JOURNAL) IN THE LIBRARY, PUBLICATION IS AVAILABLE IN THE "REPRINT-FILE" UNDER THE INDICATED NUMBER, AND BOOK IS AVAILABLE IN THE LIBRARY.

AFRICAN HORSE SICKNESS

AMERICAN COMMITTEE ON ARTHROPOD-BORNE VIRUSES. SUB-COMMITTEE ON INFORMATION EXCHANGE.
Special report on the Catalogue of the Arthropod-Borne Viruses of the world (June 1967).
Its: Arthropod-Borne Virus Inform. Exch., 1967. QR 360 A7

MIRCHAMSY, H., and TASLIMI, H.
Serological responses of horses immunized with live attenuated African horse sickness vaccine.
J. Comp. Pathol. 77(4):431-438, 1967. PIL

AFRICAN SWINE FEVER

HEDEN, C.-G.
Defences against biological warfare.
In: Annu. Rev. Microbiol. v. 21, p. 639-676.
Palo Alto, Calif., Annual Reviews, 729 p., 1967. QR 1 A5

NEGRUTIU, T.
Strict prophylactic measures against the African swine plague.
Scinteia (Rumania) No. 7403, p. 3, 1967.
(Rec'd. English translation - CFSTI TT-67-32878.) #6893

CAPRINE PLEUROPNEUMONIA

NAGI, M.S., SHARMA, G.L., and BHALLA, N.P.
Reaction of skeletal muscle to Mycoplasma caprae.
Indian J. Vet. Sci. Anim. Husb. 37(2):118-121, 1967. PIL

WALKER, R.T.
DNA homology of two mycoplasma species.
/"What follows is a report of an attempt to determine whether two mycoplasma species, Mycoplasma mycoides variety capri and Mycoplasma laidlawii, are genetically related."/
Nature(Lond.) 216(5116):711-712, 1967. PIL

CONTAGIOUS AGALACTIA OF SHEEP AND GOATS

ARISOY, F., and others.*
Investigations into contagious agalactia of sheep and goats in Turkey.
Turk. vet. Hekim. Dern. Derg. 37(3):11-17, 1967.
Vet. Bull. 37(10):730(4131), 1967.
*O. Erdag, G.S. Cottew, and W.A. Watson. PIL

CONTAGIOUS BOVINE PLEUROPNEUMONIA

INTERAFRICAN BUREAU FOR ANIMAL HEALTH.
Vaccination against C.B.P.P. in Somalia.
(A summary of an article received from Dr. Renzo Sobrero.)
I.B.A.H. Inform. Leafl. 15(31), 1967. CIRC.FILE

U.S. DEPARTMENT OF AGRICULTURE. ANIMAL HEALTH DIVISION.
Cooperative state-federal programs. Successful eradication; and current programs.
Anim. Health Div. (USDA), 9 p., [1967]. #6898

WALKER, R.T.
DNA homology of two mycoplasma species.
["What follows is a report of an attempt to determine whether two mycoplasma species, Mycoplasma mycoides variety capri and Mycoplasma laidlawii, are genetically related."]
Nature(Lond.) 216(5116):711-712, 1967. PIL

CONTAGIOUS ECTHYMA OF SHEEP

SCHMIDT, D.
Experimentelle Beitrage zur Kenntnis der Dermatitis pustulosa des Schafes. I. Versuche zur Reinigung des Virus der Dermatitis pustulosa und zur Abtrennung des komplementbindenden Antigens von den Elementarkorpern. (Experimental contribution to the contagious ecthyma of sheep. I. Research on the purification of pustular dermatitis virus, and separation of complement fixing antigens from the elementary bodies.)
Arch. Exp. Veterinarmed. 21(Suppl./V.-G.-H.):175-180, 1967. PIL

SCHMIDT, D.
Experimentelle Beitrage zur Kenntnis der Dermatitis pustulosa des Schafes. II. Das Verhalten des komplementbindenden und des infektiosen Antigens in verschiedenen pH-Bereichen. (Experimental contribution of the contagious ecthyma of sheep. II. The behavior of complement fixing and the infectious antigens in various pH-regions.)

Arch. Exp. Veterinarmed. 21(Suppl./V.-G.-H.):181-190,1967. PIL

FOOT-AND-MOUTH DISEASE

ANDREEV, E.V., and others.*
Vyvchennya biolohichnykh vlastyvostei shtamiv virusu yashchura, adaptovanykh do orhanizmu doroslykh bilykh myshei (A study of the biological properties of foot and mouth disease virus strains adapted to the organism of white mice).
Visnsil's'kohospod. Nauk 3:99-102, 1966. From: Ref. Zh. Biol. No. 12B167, 1966.
Biol. Abstr. 48(18):8182-8183(91729), 1967.
*I. Yu. Tolstyak, M.D. Bakumenko, and M.M. Tutov. PIL

ANDRES, J.
Anaphylaxis and other disturbances in connection with vaccination against foot and mouth disease.
Schweiz. Arch. Tierheilk. 109:338-343, 1967.
Foot and Mouth Dis. Bull. (Wellcome Res. Lab., Kent) 6(10):119, 1967. SF 793 W4

ARLINGHAUS, R.B., and POLATNICK, J.
Studies on foot-and-mouth disease virus RNA polymerase.
Abstr. Pap. Pres. 7th Annu. Meeting Amer. Soc. Cell Biol., Denver, Colorado, November 13-15, 1967.
J. Cell Biol. 35(2)Pt. 2:4A(4), 1967. PIL

BAYRAMOGLU, O., UNLUBLEBICI, N., and GIRARD, H.C.
De quelques essais sur la valeur de la saponine employee seule comme adjuvant dans la preparation du vaccin antiaphteux (Some experiments on the value of the saponine used as only adjuvant in the preparation of vaccine against foot-and-mouth disease).
Bull. Acad. Vet. France 40(6):283-286, 1967. PIL

BOGEL, K., WITTMANN, G., and EISSNER, G.
Thermostabiler Inhibitor im Schweineserum gegenuber dem MKS-Virus. IV. Beziehung zur Antikorperproduktion nach der Impfung. (Thermostable inhibitors against foot-and-mouth disease virus in pig serum. IV. Relationship to antibody production after inoculation.)
English summary, p. 533-534.
Zentralbl. Veterinarmed., Reihe B, 14(6):520-536, 1967. PIL

BONDARENKO, G.F., and DIDOVETS, S.R.
Complications after foot and mouth disease in cows.
Veterinariya (Moscow) 44(1):45-46, 1967.
Foot and Mouth Dis. Bull. (Wellcome Res. Lab., Kent) 6(10):119, 1967. SF 793 W4

CAPSTICK, P.B., and others.*
Factors affecting the production of foot-and-mouth disease virus in deep suspension cultures of BHK21 clone 13 cells.
J. Hyg.(Lond.) 65(3):273-280, 1967.
*A.J.M. Garland, W.G. Chapman, and R.C. Masters. PIL

FOOT-AND-MOUTH DISEASE

COWAN, K.M., and TRAUTMAN, R.
Immunochemical studies of foot and mouth disease. I. Complement fixation reactions with isolated antigenic components.
J. Immunol. 99(4):729-736, 1967. PIL

DIDERHOLM, H.
Increased susceptibility to foot-and-mouth disease virus of bovine lung cells transformed by polyoma virus.
Virology 33(2):365-368, 1967. PIL

EISSNER, G.
Immunological relationships following natural infection with foot and mouth disease and after vaccination.
Schweiz. Arch. Tierheilk. 109:299-310, 1967.
Foot and Mouth Dis. Bull. (Wellcome Res. Lab., Kent) 6(10):120, 1967. SF 793 W4

FELLOWES, O.N.
Application of stresses to foot-and-mouth disease virus.
Amer. J. Vet. Res. 28(127):1873-1880, 1967. PIL

GENDON, Yu. Z., and others.*
Izuchenie geneticheskikh priznakov epiteliotropnykh i miotropnykh shtammov virusa yashchura, virusonoi ribonukleinovoi kisloty i potomstva virusnoi ribonukleinovoi kisloty (Study of the genetic characters of the epitheliotropic and myotropic strains of the foot-and-mouth disease virus, of the virus ribonucleic acid, and of the progeny of the virus ribonucleic acid).
Tr. Mosk. Nauch-issled Inst. Virus Prep. 3: 152-160, 1965. From: Ref. Zh. Biol. No. 7B68, 1966.
Biol. Abstr. 48(18):8178(91661), 1967.
*L.S. Ratner, A.T. Marchenko, and A.I. Lebedev. PIL

GREAT BRITAIN.
Foot and mouth disease.
/"The present outbreak was confirmed on October 25...."/
Nature(Lond.) 216(5115):533, 1967. PIL

HEDEN, C.-G.
Defences against biological warfare.
In: Annu. Rev. Microbiol. v. 21, p. 639-676. Palo Alto, Calif., Annual Reviews, 729 p., 1967. QR 1 A5

INTERNATIONAL INSTITUTE OF ADMINISTRATIVE SCIENCES.
Prevention of cattle diseases, with special reference to foot-and-mouth disease. Belgium, Int. Inst. Admin. Sci., 234 p., 1964.
Vet. Bull. 37(10):788(4497), 1967. PIL

FOOT-AND-MOUTH DISEASE

LUBKE, A.
Uber Beziehungen zwischen dem Infektionsstadium Maul-und Klauenseuche (MKS)-infizierter Schweine und der passiven Schutzwirkung ihrer Immunseren bei Mausen. (The relationship between the stage of infection in pigs with foot-and-mouth disease and the passive protection given to mice by their immune sera.)
English summary, p. 559.
Zentralbl. Veterinarmed., Reihe B, 14(6):553-561, 1967. PIL

PERSECHINO, A.
Influence of some salts on the stability of foot and mouth disease virus at 37°C and 50°C.
Acta med. vet., Napoli 12:645-653, 1966 (I.e.f.).
Vet. Bull. 37(10):739(4186), 1967. PIL

ROWLANDS, W.T.
Diseases of sheep. 2d ed. London, Her Majesty's Stationery Office, (Bull. No. 170), 40 p., 1966. #6892

SYMPOSIUM INTERNATIONAL SUR VARIANTES ET IMMUNITE DANS LA FIEVRE APHTEUSE, Lyon le 14 Juillet 1967.
Resolutions du symposium.
[Types et sous-types de virus aphteux.]
Typewritten copy. #6899

U.S. DEPARTMENT OF AGRICULTURE. ANIMAL HEALTH DIVISION.
Cooperative state-federal programs. Successful eradication; and current programs.
Anim. Health Div. (USDA), 9 p., [1967]. #6898

WELLCOME RESEARCH LABORATORIES. Grossburgwedel (Germany-Federal Republic).
[Foot-and-mouth vaccine production.]
Nature(Lond.) 216(5117):737, 1967. PIL

FOWL PLAGUE

HEDEN, C.-G.
Defences against biological warfare.
In: Annu. Rev. Microbiol. v. 21, p. 639-676. Palo Alto, Calif., Annual Reviews, 729 p., 1967. QR 1 A5

U.S. DEPARTMENT OF AGRICULTURE. ANIMAL HEALTH DIVISION.
Cooperative state-federal programs. Successful eradication; and current programs.
Anim. Health Div. (USDA), 9 p., [1967]. #6898

LOUPING ILL

ROWLANDS, W.T.
Diseases of sheep. 2d ed. London, Her Majesty's Stationery Office, (Bull. No. 170), 40 p., 1966. #6892

RIDA DISEASE

ABINANTI, F.R.
The possible role of microorganisms and viruses in the etiology of chronic degenerative diseases of man.
In: Annu. Rev. Microbiol. v. 21, p. 467-494. Palo Alto, Calif., Annual Reviews, 729 p., 1967. QR 1 A5

RIFT VALLEY FEVER

HEDEN, C.-G.
Defences against biological warfare.
In: Annu. Rev. Microbiol. v. 21, p. 639-676. Palo Alto, Calif., Annual Reviews, 729 p., 1967. QR 1 A5

RINDERPEST

HEDEN, C.-G.
Defences against biological warfare.
In: Annu. Rev. Microbiol. v. 21, p. 639-676. Palo Alto, Calif., Annual Reviews, 729 p., 1967. QR 1 A5

INTERAFRICAN BUREAU FOR ANIMAL HEALTH.
K.A.G. rinderpest vaccine to be sold by E.A.V.R.O.
I.B.A.H. Inform. Leafl. 15(35), 1967. CIRC.FILE

PIGOURY, L., and others.*
Note sur la culture du virus bovipestique lapinise en cultures cellulaires de leucocytes de boeuf (Observations on the cultivation of lapinized rinderpest virus in bovine leukocyte culture).
English summary, p. 634.
Ann. Inst. Pasteur 113(4):631-634, 1967.
*B. Vacher, C. Chabassol, and A. Poussot. PIL

PLOWRIGHT, W., and McCULLOCH, B.
Investigations on the incidence of rinderpest virus infection in game animals of N. Tanganyika and S. Kenya 1960/63.
J. Hyg.(Lond.) 65(3):343-358, 1967. PIL

SINGH, K.V., and others.*
Colostral transfer of rinderpest neutralizing antibody to offspring of vaccinated dams.
Can. J. Comp. Med. Vet. Sci. 31(11):295-298, 1967.
*Omar A. Osman, Ivon F. El Cicy, and Thanaa I. Baz. PIL

RINDERPEST

SINGH, K.V., and others.*
Response of water buffaloes to experimental infection with rinderpest virus.
Cornell Vet. 57(4):638-648, 1967.
*O.A. Osman, Ivon F. El Cicy, F.A. Ata, and T.I. Baz. PIL

SCRAPIE

ABINANTI, F.R.
The possible role of microorganisms and viruses in the etiology of chronic degenerative diseases of man.
In: Annu. Rev. Microbiol. v. 21, p. 467-494.
Palo Alto, Calif., Annual Reviews, 729 p., 1967. QR 1 A5

KIMBERLIN, R.H., and MILLSON, G.C.
Some biochemical aspects of mouse scrapie.
J. Comp. Pathol. 77(4):359-366, 1967. PIL

LITTLEJOHN, A.I., and TERLECKI, S.
Scrapie in a Dorset Horn ewe.
Vet. Rec. 81(14):355-356, 1967. PIL

MOULD, D.L., and others.*
Relationships between chemical changes and histological damage in the brains of scrapie affected mice.
J. Comp. Pathol. 77(4):393-403, 1967.
*A. McL. Dawson, J.S. Slater, and I. Zlotnik. PIL

MOULD, D.L., DAWSON, A. McL., and SMITH, W.
Determination of the dosage-response curve of mice inoculated with scrapie.
J. Comp. Pathol. 77(4):387-391, 1967. PIL

ROWLANDS, W.T.
Diseases of sheep. 2d ed. London, Her Majesty's Stationery Office, (Bull. No. 170), 40 p., 1966. #6892

U.S. DEPARTMENT OF AGRICULTURE. ANIMAL HEALTH DIVISION.
Cooperative state-federal programs. Successful eradication; and current programs.
Anim. Health Div. (USDA), 9 p., [1967]. #6898

SHEEP POX

RAMYAR, H., and HESSAMI, M.
Development of an attenuated live virus vaccine against sheep pox.
Zentralbl. Veterinarmed., Reihe B, 14(6):516-519, 1967. PIL

VESICULAR EXANTHEMA OF SWINE

U.S. DEPARTMENT OF AGRICULTURE. ANIMAL HEALTH DIVISION.
Cooperative state-federal programs. Successful eradication; and current programs.
Anim. Health Div. (USDA), 9 p., [1967]. #6898

VESICULAR STOMATITIS

FIELDS, B.N., and HAWKINS, K.
Human infection with the virus of vesicular stomatitis during an epizootic.
New Engl. J. Med. 277(19):989-994, 1967. PIL

JENNEY, E.W.
Vesicular stomatitis in the United States during the last five years (1963-1967).
Xerox copy, 11 p. with tables. #6891

VISNA DISEASE

ABINANTI, F.R.
The possible role of microorganisms and viruses in the etiology of chronic degenerative diseases of man.
In: Annu. Rev. Microbiol. v. 21, p. 467-494.
Palo Alto, Calif., Annual Reviews, 729 p., 1967. QR 1 A5

MISCELLANEOUS

ANTOINE, B., and NEVEU, T.
Immunisation differentielle (immunisation apres induction d'une tolerance). (Differential immunization (immunization after induction of tolerance).)
English summary, p. 518.
Ann. Inst. Pasteur 113(4):509-519, 1967. PIL

ARGYRIS, B.F.
Role of macrophages in antibody production. Immune response to sheep red blood cells.
J. Immunol. 99(4):744-750, 1967. PIL

CHANOCK, R.M., and others.*
Mycoplasma pneumoniae infection—prospects for live and inactivated vaccines.
In: Int. Conf. on Vaccines Against Viral and Rickettsial Dis. of Man. 1st, Washington, D.C., Pan Amer. Health Organ., 1967, Sci. Publ. 147, pp. 132-140, 695 p., Sect. E. Mycoplasma Vaccines.
*C.B. Smith, W.T. Friedewald, R.R. Gutekunst, P. Steinberg, S. Fuld, K.E. Jensen, L.B. Senterfit, and B. Prescott. RM 281 I3

MISCELLANEOUS

CONFERENCE ON CELL CULTURES FOR VIRUS VACCINE PRODUCTION, Bethesda, Md., 1967.
Notes by O.N. Fellowes.
Xerox reproduction with various pages.
Sponsored by Division of Biologics Standards, National Institutes of Health, Bethesda, Md. #6902

CUNLIFFE, H.R.
Adsorption and elution of hog cholera virus on powdered iron oxide.
Federation Proc. 26(2):364(614), 1967. PIL

FELLOWES, O.N.
General comments on viral flora of tissue sources and tissue and medium antigens in vaccines.
Pres. Conf. Cell Cult. Virus Vaccine Prod., Bethesda, Md., 1967. #6902

FRANO, J., and JURCINA, A.
Influenza virus A anatis, strain "Kosice 1956", isolated from respiratory infection of ducklings. VI. Tissue culture of virus A anatis.
Folia vet. Kosice 7:15-19, 1964.
Cited in: Selec. Ref. Influenza Anim., p. 27. Geneva, World Health Organ., 29 p., 1967. #6905

GLADKOV, B.A.
The development of lesions in the spleen of ducks experimentally infected with influenza.
Trudy II vses. Konf. patol. Anat. Zhivotnykh, Mosk. Vet. Akad. 1963, pp. 241-244, 1964 (R.e.).
Index Vet. 34(1):82, 1966.
Cited in: Selec. Ref. Influenza Anim., p. 27. Geneva, World Health Organ., 29 p., 1967. PIL & #6905

GREIFF, D., and RIGHTSEL, W.A.
Stabilities of suspensions of viruses after freezing or drying by vacuum sublimation and storage.
Cryobiology 3(6):432-444, 1967. PIL

KORTING, H.J., and VOSS, G.R.
Microscopic fluorescence-photometry of virus multiplication in cell cultures.
Acta Virol. 11(5):436-443, 1967. PIL

NEPOMNYASHCHI, Yu. Z., and GRAYEVSKAYA, N.A.
Formation of antiviral antibodies by lymphoid cells transferred to a newborn recipient.
Acta Virol. 11(5):392-397, 1967. PIL

MISCELLANEOUS

PORTER, R.R.
The structure of antibodies.
["The basic pattern of the principal class of molecules that neutralize antigens (foreign substances in the body) is four cross-linked chains. This pattern is modified so that antibodies can fit different antigens."]
Sci. Amer. 217(4):81-87, 90, 1967. PIL

RIGHTSEL, W.A., and GREIFF, D.
Freezing and freeze-drying of viruses.
Cryobiology 3(6):423-431, 1967. PIL

RINALDI, A., CERVIO, G., and MANDELLI, G.
Investigations and isolation of virus N (Dinter 1949) from ducks with infectious sinusitis.
Selez. Vet. 6:430-434, 1965.
Cited in: Selec. Ref. Influenza Anim., p. 29.
Geneva, World Health Organ., 29 p., 1967. #6905

RINALDI, A., CERVIO, G., and MANDELLI, G.
Respiratory infection in turkeys caused by a filtrable agent related to virus N (Dinter 1949).
Selez. Vet. 7:336-339, 1966.
Cited in: Selec. Ref. Influenza Anim., p. 29.
Geneva, World Health Organ., 29 p., 1967. #6905

RINALDI, A., CERVIO, G., and MANDELLI, G.
Sinusitis in ducks caused by a filtrable agent serologically related to virus N (Dinter 1949).
Boll. Ist. sieroter, Milan. 45:255-272, 1966.
Cited in: Selec. Ref. Influenza Anim., p. 29.
Geneva, World Health Organ., 29 p., 1967. #6905

RITCHIE, A.E., and FERNELIUS, A.L.
Electron microscopy of hog cholera virus and its antigen-antibody complex.
Vet. Rec. 81(16):417-418, 1967. PIL

SEAMER, J., and CHESTERMAN, F.C.
A survey of disease in laboratory animals.
Lab. Anim. 1(2):117-139, 1967. PIL

WORLD HEALTH ORGANIZATION. VETERINARY PUBLIC HEALTH UNIT.
Selected references on influenza in animals. Geneva, 29 p., 1967.
Mimeographed copy. #6905